



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/749,324	12/31/2003	Glen A. Gordon	P3245	1774
30143	7590	03/23/2005	EXAMINER	
TODD N. HATHAWAY 119 N. COMMERCIAL ST. #620 BELLINGHAM, WA 98225			LACYK, JOHN P	
			ART UNIT	PAPER NUMBER
			3736	

DATE MAILED: 03/23/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

87

Office Action Summary

Application No.

10/749,324

Applicant(s)

GORDON, GLEN A.

Examiner

John P Lacyk

Art Unit

3736

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. ____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 4/06/04.
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____.
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: ____.

Art Unit: 3736

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claims 1-20 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. Claims 1 and 14 claim a "straight-wire element" however the specification does not describe this element sufficiently to enable one skilled in the art to make and/or use the invention. Applicant only states (page 4, line 27-page 5, line 1) that the term is used to distinguish from a coil, however it is unclear how the device would then work. In order to provide a current through the "straight-wire" element to produce an electromagnetic field there needs to be a closed circuit, while a straight-wire would provide an open circuit. Should the wire element have a return path to complete the circuit it would then include a single loop coil. It is unclear how the device could provide an electromagnetic field without having at least one loop of a coil.

3. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the straight-wire element must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Art Unit: 3736

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-8, 11 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tepper et al (6,132,362).

Art Unit: 3736

Tepper et al discloses an apparatus and method for applying a pulsed electromagnetic therapy to a person, the device having a wire, a circuit for supplying a current pulse that approximates a square pulse (Figure 11) to generate a magnetic field. The device is portable and it sized that it can be hand held (Figures 1-3). While Tepper et al does not specifically teach a "straight-wire" element, in view of the above questions with regard to the specification, device is limitation is considered to be met by Tepper et al. With respect to claims 3-8 and 15-19, while Tepper et al does not teach the specific ranges as claimed, it would have been obvious to one skilled in the art at the time the invention was made, to discover the optimum or workable ranges by routine experimentation. It is considered to be an obvious modification of a device to discover such ranges if the particular ranges claimed produce a result that is different merely in degree from the prior art and does not produce a result that is different is kind (In re Aller et al, 105 USPQ 233).

6. Claims 12-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tepper et al in view of Mawhinney.


Mawhinney discloses a device to apply an electromagnetic therapy to the body of a user and shows that it is known to provide a plurality of devices in order to treat a larger area. Therefore a modification of Tepper et al such that there are a plurality of device used together would have been obvious since this would allow for the treatment of a larger area.

Art Unit: 3736

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John P Lacyk whose telephone number is 571-272-4728. The examiner can normally be reached on Mon-Fri, 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on 571-272-4726. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



John P Lacyk
Primary Examiner
Art Unit 3736

J.P. Lacyk